
From: Muellerleile, Caryn
Sent: Monday, April 14, 2014 10:09 AM
To: Rosnick, Reid
Cc: Schultheisz, Daniel; Lee, Raymond
Subject: RE: Status Of Subpart W
Attachments: NESHAP_Subpart-W_NPR-Final_3-14-14-RMD.docx

Hello Reid,

I understand that Barry has completed his review of this action and had no recommended edits. I've also just heard back from the ICR person who also has nothing to recommend.

I have two very minor formatting items in the attached version. If you agree, can you accept changes and re-save the document and send it back to me? If so, I can take care of printing out just those new pages and burning the new electronic version to the CD that I already have.

Many thanks,
Caryn

Caryn Muellerleile
Regulatory Management Division
Office of Policy
US Environmental Protection Agency
1200 Pennsylvania Ave NW (1806A)
Washington, DC 20460
(202) 564-2855
muellerleile.caryn@epa.gov

From: Rosnick, Reid
Sent: Tuesday, April 01, 2014 2:40 PM
To: Muellerleile, Caryn
Cc: Elman, Barry
Subject: RE: Status Of Subpart W

All,

(b) (5) - Deliberative process privilege

questions. Thanks

Please let me know if you have comments or

Reid

From: Muellerleile, Caryn
Sent: Tuesday, April 01, 2014 1:46 PM
To: Rosnick, Reid

Cc: Elman, Barry

Subject: RE: Status Of Subpart W

Hello,

OP's review time often takes up to two weeks. (b) (5) - Deliberative process privilege

Barry or I will let you know if we find anything we have questions about.

Thank you,
Caryn

Caryn Muellerleile
Regulatory Management Division
Office of Policy
US Environmental Protection Agency
1200 Pennsylvania Ave NW (1806A)
Washington, DC 20460
(202) 564-2855
muellerleile.caryn@epa.gov

From: Rosnick, Reid
Sent: Tuesday, April 01, 2014 10:28 AM
To: Muellerleile, Caryn
Subject: Status Of Subpart W

Hi Caryn,

Sorry to bother you, I was wondering if you could give me an update on the status of the Subpart W rulemaking (SAN 5281)? Thanks

Reid

Reid J. Rosnick
US Environmental Protection Agency
Radiation Protection Division
202.343.9563
rosnick.reid@epa.gov